


Product Information

J1182/J1182-5 - CRYSTO oven&grill

Foaming oven cleaner



Why to use it

- As an oven cleaner and for the fast removal of blood and other baked on food products.
- Clings to vertical surfaces.
- Easily applied using trigger spray.
- Effective ready to use formula.

Where to use it

Used in kitchens, bakeries, food plant and other areas of food product build up.

How to use it

Always wear impervious gloves or preferable gauntlets. Oven Cleaner will work best when the oven is warm. Switch oven off before application. Apply an even layer of oven cleaner by either trigger spray, cloth or by sponge to the oven interior, leave to act as detailed below. Cold oven Warm oven Light grease 3 mins 1 min Heavy grease 30 mins 5 mins Baked on grease 12 hours 2 hours After appropriate contact time wipe off using a cloth and clean water. For very stubborn deposits a second application may be required. N.B. Do not use on aluminium or galvanised metal. Warning: This product is highly CAUSTIC. Always wear protective clothing, gloves and face/eye protection during use. Do not apply to hot surfaces.

Hazard Symbols



IRRITANT



CORROSIVE

PPE Requirements



concept-O[®]
clean • green • hygiene

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product name **CRYSTO oven & grill**
Product No. **J1182/1182-5**

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Oven and Grill Cleaner

1.3. Details of the supplier of the safety data sheet

S&E CareTrade
Rathenraw Industrial Estate
Antrim, BT41 2SJ
United Kingdom
T: +44 28 94462233
E: msds@caretrade.co

1.4. Emergency telephone number

07788 309 810

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

Classification (67/548/EEC) C;R35.

2.2. Label elements

Contains SODIUM HYDROXIDE
Detergent Labelling: < 5% amphoteric surfactants
< 5% anionic surfactants

Labelling



Corrosive (C)

Risk Phrases R35 Causes severe burns.
Safety Phrases S1/2 Keep locked up and out of the reach of children.
S26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
S27 Take off immediately all contaminated clothing.
S36/37/39 Wear suitable protective clothing, gloves and eye/face protection.
S45 In case of accident or if you feel unwell
Seek medical advice immediately (show label where possible).

2.3. Other hazards

No other hazards known

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1. Substances

Not Applicable

3.2. Mixtures

Amphoteric surfactant		0.5-1%
CAS-No.: 61791-47-7	EEC (EINECS) No. 263-180-1	
Classification (EC 1272/2008)		Classification (67/548/EEC)

Skin irritation, category 2 - H315			
Serious eye damage, category 1 - H318			Xi;R38,R41
Hazardous to the aquatic environment, acute, category 1 - H400			N;R50
<hr/>			
Sodium alkylether sulphate			1-5%
CAS-No.: 13150-00-0	EEC (EINECS) No.		
Classification (EC 1272/2008)			Classification (67/548/EEC)
Skin irritation, category 2 - H315			Xi;R38,R41
Serious eye damage, category 1 - H318			
<hr/>			
SODIUM HYDROXIDE			10-30%
CAS-No.: 1310-73-2	EEC (EINECS) No. 215-185-5		
Classification (EC 1272/2008)			Classification (67/548/EEC)
Skin corrosion, categories 1A, 1B, 1C - H314			C;R35

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

SECTION 4: FIRST AID MEASURES

4.1. Description of first aid measures

General information	Chemical burns must be dealt with immediately, do not delay., CAUTION! First Aid personnel must be aware of own risk of burns.
Inhalation	Remove victim immediately from source of exposure., Provide rest, warmth and fresh air., Get medical attention if any discomfort continues.
Ingestion	DO NOT INDUCE VOMITING!, Rinse mouth thoroughly., Drink plenty of water., Get medical attention immediately!
Skin contact	Immediately remove contaminated clothing., Rinse immediately with plenty of water., Continue to rinse for at least 15 minutes., Get medical attention if any discomfort continues.
Eye contact	Promptly wash eyes with plenty of water while lifting the eye lids., Make sure to remove any contact lenses from the eyes before rinsing., Continue to rinse for at least 15 minutes and get medical attention.

4.2. Most important symptoms and effects, both acute and delayed

Inhalation	May cause damage to mucous membranes in nose, throat, lungs and bronchial system.
Ingestion	Causes severe burns., Harmful if swallowed.
Skin contact	Causes severe burns.
Eye contact	Causes severe burns., Risk of serious damage to eyes.

4.3. Indication of any immediate medical attention and special treatment needed

Treat Symptomatically.

SECTION 5: FIREFIGHTING MEASURES

5.1. Extinguishing media

Extinguishing media	The product is non-combustible., Use fire-extinguishing media appropriate for surrounding materials.
---------------------	--

5.2. Special hazards arising from the substance or mixture

Unsuitable extinguishing media

5.3. Advice for firefighters

Special Fire Fighting Procedures	Self contained breathing apparatus and full protective clothing must be worn in case of fire. Use special protective clothing. Regular protection may not be safe.
----------------------------------	--

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

For personal protection, see section 8.

6.2. Environmental precautions

Any spillage needs to be contained and not allowed to enter water courses

6.3. Methods and material for containment and cleaning up

Wear necessary protective equipment., Absorb in vermiculite, dry sand or earth and place into containers., Collect spillage in containers, seal securely and deliver for disposal according to local regulations., Inform Authorities if large amounts are involved.

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Avoid spilling, skin and eye contact., Personal protective equipment must be worn when handling this material.

7.2. Conditions for safe storage, including any incompatibilities

Store separated from:, Acids.

7.3. Specific end use(s)

See product label for detailed usage and instructions.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION


8.1. Control parameters

Name	STD	TWA - 8 Hrs	STEL - 15 Min	Notes
SODIUM HYDROXIDE	WEL		2 mg/m3	

WEL = Workplace Exposure Limits

8.2. Exposure controls

Protective equipment



Process conditions	Use engineering controls to reduce air contamination to permissible exposure level.
Engineering measures	Provide adequate general and local exhaust ventilation.
Respiratory equipment	No specific recommendation made, but respiratory protection must be used if the general level exceeds the recommended occupational exposure limit.
Hand protection	Use protective gloves., Rubber (natural, latex).
Eye protection	Use approved safety goggles or face shield.
Other Protection	Wear suitable protective clothing as protection against splashing or contamination.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Appearance	Clear, Liquid
Colour	Orange.
Odour	Odourless.
Relative density	1.118 - 1.128@ 20 °c
pH-Value, Conc. Solution	>13.0

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity

Stable under normal temperature conditions.

10.2. Chemical stability

Stable under normal temperature conditions.

10.3. Possibility of hazardous reactions

None known

10.4. Conditions to avoid

Avoid contact with acids., Avoid contact with other chemicals.

10.5. Incompatible materials

Strong acids., Reacts strongly with light metals such as aluminium and zinc, producing hydrogen which is Highly Flammable.

10.6. Hazardous decomposition products

When heated, toxic and corrosive vapours/gases may be formed.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Toxicological information	No toxicological data is available for this mixture, however data can be provided for specific raw materials upon request.
Inhalation	May cause damage to mucous membranes in nose, throat, lungs and bronchial system.
Ingestion	Causes severe burns., Harmful if swallowed.
Skin contact	Causes severe burns.
Eye contact	Causes severe burns., Risk of serious damage to eyes.

SECTION 12: ECOLOGICAL INFORMATION

12.1. Toxicity

Not classed as Hazardous to the Environment but release to the environment should be avoided.

12.2. Persistence and degradability

Degradability	The surfactants contained within the product comply with the biodegradability criteria as laid down in Regulation (EC) No 648/2004.
---------------	---

12.3. Bioaccumulative potential

Bioaccumulative potential	The product does not contain any substances expected to be bioaccumulating.
---------------------------	---

12.4. Mobility in soil

Mobility:	The product contains substances, which are water soluble and may spread in water systems.
-----------	---

12.5. Results of PBT and vPvB assessment

This product does not contain any PBT or PvB substances

12.6. Other adverse effects

None known

SECTION 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Dispose of waste and residues in accordance with local authority requirements.

SECTION 14: TRANSPORT INFORMATION

General	Derogation for Limited Quantities may be applicable to appropriate pack sizes, please check relevant modal legislation.
---------	---

14.1. UN number

UN No. (ADR/RID/ADN)	1824
UN No. (IMDG)	1824

14.2. UN proper shipping name

Proper Shipping Name: SODIUM HYDROXIDE SOLUTION

14.3. Transport hazard class(es)

ADR/RID/ADN Class 8
IMDG Class 8

Transport Labels



14.4. Packing group

ADR/RID/ADN Packing group II
IMDG Packing group II

14.5. Environmental hazards

Environmentally Hazardous substance/Marine Pollutant No

14.6. Special precautions for user

Tunnel Restriction Code E

SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

UK Regulatory References	The Control of Substances Hazardous to Health Regulations 2002 (S.I 2002 No. 2677) with amendments.
Environmental Listing	Rivers (Prevention of Pollution) Act 1961., Control of Pollution (Special Waste Regulations) Act 1980.
Statutory Instruments	The Chemicals (Hazard Information and Packaging for Supply) Regulations 2009 (S.I 2009 No. 716).
Approved Code Of Practice	Classification and Labelling of Substances and Preparations Dangerous for Supply.
Guidance Notes	Workplace Exposure Limits EH40., CHIP for everyone HSG(108). Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, including amendments., Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 with amendments.
EU Legislation	
National Regulations	The Carriage of Dangerous Goods and Use of Transportable Pressure Equipment Regulations 2007 (CDG 2007).

15.2. Chemical Safety Assessment

No chemical assessment has been carried out as this Safety Data Sheet is for a mixture

SECTION 16: OTHER INFORMATION

General information

The following risk phrases relate to the raw materials in the product and not the product itself:-

Revision Comments

Safety Data Sheet revised to be in accordance with EU Regulation No 453/2010 - REACH Regulations.

Revision Date 17/01/2013

Revision 10

Risk Phrases In Full R35 Causes severe burns. | R38 Irritating to skin., R41 Risk of serious damage to eyes. | R38 Irritating to skin., R41 Risk of serious damage to eyes., R50 Very toxic to aquatic organisms. |

Hazard Statements In Full
 H314 Causes severe skin burns and eye damage.
 H315 Causes skin irritation.
 H318 Causes serious eye damage.
 H400 Very toxic to aquatic life.