
# COSHHdocs4U

# Product Information J1214 - XENO bright-non bio

Non bio laundry powder



# Why to use it

- High grade, low foaming non biological automatic washing powder.
- Can be used in domestic and commercial washing machines

# Where to use it

Suitable for machine & handwashing.

## How to use it

Machine washing - for nominal 5 kg load Normal soiling - 1 scoop, heavy soilng - 2 scoops (1scoop = 135g) Hand washing - Dissolve 1 scoop (135g) in 10 litres of water. Ensure powder is fully dissolved.

# **Hazard Symbols**

not applicable

**PPE Requirements** 







**SAFETY DATA SHEET** compiled according to Regulation (EC) No. 453/2010

Compilation date: 22/04/15 Revision [CLP]: 1\*

#### 1. Identification of the Substance/Preparation and of the Company/Undertaking

1.1. Product identifier

Product form: Mixture

Trade name : Xeno Bright Non-Bio Laundry Powder

Product group : Trade product Product code : J1214

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category: Professional use

Function or use category: Washing and cleaning products (including solvent based products).

#### 1.2.2. Uses advised against

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

Company Name: Concept-O

Rathenraw Industrial Estate,

Antrim BT41 2SJ

Tel: +44 28 9446 2233

#### 2. Hazards Identification

### 2.1 Classification of the substance or mixture

#### 2.1.1 Classification according to Regulation (EC) No. 1272/2008 [CLP]

Eye Irrit. 2 - H319

#### 2.1.2 Classification according to Directive 67/548/EEC or 1999/45/EC

Xi; R36

#### 2.2 Label Elements

#### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard Pictograms (CLP)



Signal word (CLP): Warning

Hazard Statements (CLP): H319: Causes serious eye irritation.

Precautionary Statements (CLP): P101 - If medical advice is needed, have product container or label at hand

P102 - Keep out of reach of children

P301+P312 - IF SWALLOWED: call a POISON CENTER or doctor/physician if you feel unwell P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing

P337+P313 - If eye irritation persists: Get medical advice/attention

The full texts for all R-, H- and EUH-phrases are displayed in Section 16 'Other Information'.

### 2.3 Other Hazards

Other hazards not contributing

Xeno Bright J1214 CLP MSDS Page 1 of 5

to the classification: No presence of PBT and vPvB ingredients.

#### 3. Composition/information on ingredients:

Common Name	CAS No./ EC No.	Classification Accoding to Directive 67/548/EEC Xi; R36.	Conc (%)
SODIUM CARBONATE	497-19-8 207-838-8		15 - 30%
SODIUM CARBONATE PEROXIDE	15630-89-4 239-707-6	Xn; R22. Xi; R36, R38. O; R8	5 - 15%
SODIUM SILICATE PENTAHYDRATE	6834-92-0 229-912-9	C; R34, Xi; R37	1 - 5%
SODIUM ALKYL BENZENE SULPHONATE	85117-50-6 285-600-2	Xn;R22. Xi;R41,R38.	1 – 5%
ALCOHOLETHOXYLATES AE7	64425-86-1	Xn; R22. Xi; R41. N; R50	1 - 5 %
ALCOHOL ETHOXYLATES	68439-45-2	Xn; R22. Xi; R41	1 - 5 %
Common Name	CAS No./ EC No.	Classification Accoding to (EC) 1272/2008 (CLP)	Conc (%)
SODIUM CARBONATE	497-19-8 207-838-8	Eye Irrit. 2, H319	15 - 30%
SODIUM CARBONATE PEROXIDE	15630-89-4 239-707-6	Ox Sol. 3, H272 Acute Tox. 4, H302 Eye Dam. 1, H318	5 - 15%
SODIUM SILICATE PENTAHYDRATE	6834-92-0 229-912-9	Skin Corr. 1B: H314 STOT SE3, H335	1 - 5%
SODIUM ALKYL BENZENE SULPHONATE	85117-50-6 285-600-2	Acute Tox. 4, H302 Skin Irrit. 2, H315 Eye Dam. 1, H318	1 – 5%
ALCOHOLETHOXYLATES AE7	64425-86-1	Acute Tox. 4, H302 Eye Dam. 1, H318 Aquatic Acute 1, H400	1 – 5%
ALCOHOL ETHOXYLATES	68439-45-2	Acute Tox. 4, H302 Eye Dam. 1, H318	1 – 5%

The full texts for all R-, H- and EUH-phrases are displayed in Section 16 'Other Information'.

#### 4. First-aid measures

#### 4.1. Description of first aid measures

First-aid measures after inhalation: IF INHALED: remove victim to fresh air and keep at rest in a position comfortable for breathing. Seek medical advice if you feel unwell.

First-aid measures after skin contact: IF ON SKIN: Wash with plenty of soap and water. If skin irritation occurs: Get medical advice/attention, and discontinue use of product.

First-aid measures after eye contact: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses,

if present and easy to do. Continue rinsing. Immediately call a doctor.

First-aid measures after ingestion: IF SWALLOWED: rinse mouth. Do NOT induce vomiting. Immediately call a doctor.

## 4.2. Most important symptoms and effects, both acute and delayed

Xeno Bright J1214 CLP MSDS Page 2 of 5



Symptoms/injuries after inhalation: Coughing. sneezing.

Symptoms/injuries after skin contact: Redness. Swelling. dryness. Itching.

Symptoms/injuries after eye contact: Severe pain. Redness. Swelling. Blurred vision.

Symptoms/injuries after ingestion: Oral mucosal or gastro-intestinal irritation. Nausea. Vomiting. Excessive secretion.

Diarrhoea.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Refer to section 4.1.

### 5. Fire fighting measures

**Extinguishing media**: Product itself is not explosive or flammable. The product itself will not burn. If anything, packaging may be involved in a fire. Use CO<sub>2</sub>, dry chemical powder, alcohol resistant foam or other media appropriate for materials actually involved in the fire. If water is used, contain run-off.

Special hazards: When heated sufficiently, product may decompose to form smoke and toxic fumes.

**Special protective equipment:** Fire fighters should wear approved self-contained breathing apparatus and full protective clothing.

#### 6. Accidental release measures

#### **Personal precautions:**

Avoid contact with skin and eyes. For appropriate personal protection see section 8.

#### **Environmental precautions:**

Although this product is suitable for down the drain disposal it is advised that as much of the solid is contained and scooped up, before final dispersal of any residue with water.

#### Methods and material for containment and clean-up:

Prevent leakage into sewers or surface water by utilising bunding, absorbent booms, drain covers and soil or sand dikes. Contact appropriate environmental protection agencies, (Environment Agency in the UK) and local water authorities if significant contamination occurs.

For small and large spills: scoop spillage into suitable plastic containers and rework/dispose as per local legislation.

#### 7. Handling and storage

#### Precautions for safe handling:

Avoid contact with neat product on skin and eyes. Wear protective clothing as per section 8.

#### Storage precautions:

Store in closed original container in a cool and dry area.

#### 8. Exposure controls / personal protection

# 8.1. Control parameters

### Sodium Carbonate (497-19-8)

DNEL/DMEL (Workers)

Long-term - local effects, inhalation 10 mg/m³

DNEL/DMEL (General population)

Acute - local effects, inhalation 10 mg/m<sup>3</sup>

#### 8.2. Exposure controls

8.2.1. Appropriate engineering controls: Not applicable.

8.2.2. Personal protective equipment

Hand protection: It is advised to wear gloves during direct contact and hand-washing.

Eye protection: Wear eye/face protection.

Skin and body protection:

Respiratory protection:

8.2.3. Environmental exposure controls:

Not applicable.

Not applicable.

Not available

#### 9. Physical and chemical properties

Appearance: White powder with coloured speckles

Odour: Pleasant

pH (10% aqueous solution): ca. 11 Melting point: Not determined Boiling point: Not determined Flash point: Not combustible Evaporation rate: Not determined

Xeno Bright J1214 CLP MSDS Page 3 of 5



Flammability: Not combustible Explosive properties: Non-Explosive Oxidising properties: Not determined Vapour pressure/density: Not determined Relative density: ca. Not Determined

Water solubility: Soluble

Partition coefficient: Not determined Auto ignition temperature: Not combustible Decomposition temperature: Not determined

Viscosity: Not determined

#### 10. Stability and reactivity

#### Stability:

Stable under normal conditions.

#### Conditions to avoid:

None

#### Materials to avoid:

Do not mix with other cleaning products unless advised to do so by a professional from the industry.

#### 11. Toxicological information

**Acute toxicity:** Not determined by ingestion. Non toxic by dermal contact or inhalation. May cause vomiting if very large quantities are ingested. Do not induce vomiting.

**Irritation/corrosivity:** Irritation to skin and eyes. If irritant effects are seen, these may be significant to moderate, depending on exposure. If in contact with eyes flushing with water is recommended.

**Sensitisation**: May provoke a sensitisation reaction.

**Repeated dose toxicity:** Repeated exposure to low levels (e.g. diluted in washing water) will not cause adverse effects. **Carcinogenicity/mutagenicity/teratogenicity:** Based on available data the classification criteria are not met.

#### Sodium Carbonate (497-19-8)

LD50 oral rat 2800 mg/kg LD50 dermal rabbit 2001 mg/kg

ATE CLP (oral) 2800 mg/kg bodyweight ATE CLP (dermal) 2001 mg/kg bodyweight

#### 12. Ecological information

On the basis of raw materials and comparable substances contained in the product the following ecological evaluation is obtained. **Ecotoxicity:** This product is intended for wide dispersive use, is not considered harmful to aquatic organisms and is compatible with the down-the-drain disposal route. No known adverse effects on the functioning of water treatment plants under normal use conditions as recommended. The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.

**Persistence and degradability:** This product has not been found to cause long-term adverse effects in the environment. The surfactants used in this product are biodegradable in line with the requirements of EU Detergent Regulation (EC) No 648/2004. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

**Bioaccumulative potential:** The surfactant ingredients of this product are not expected to bioaccumulate. **Mobility in soil:** Not determined.

#### 13. Disposal considerations

Consumer products ending up down the drain after use. Observe safe handling precautions and local legislation. The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment. The surfactants contained in this preparation comply with the biodegradability criteria as laid down in Regulation EC/648/2004 on detergents.

14. Transport information

UN No: None

**Classification:** Not classified as hazardous for transport.

**UN proper shipping name:** None

**Transport hazard class:** Not subject to ADR/IATA/IMDG/RID codes.

Packing group: None Environmental hazards: None Special precautions for user: None

Xeno Bright J1214 CLP MSDS Page 4 of 5

#### 15. Regulatory information

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture 15.1.1. EU-Regulations

No REACH Annex XVII restrictions. Contains no substance on the REACH candidate list

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

### 15.1.2. National regulations

No additional information available

#### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

#### 16. Other information

Usage and handling instructions are not mentioned on this Material Safety Data Sheet. The labelling of the product is indicated in Section 2.2.

The full text of the R-, H- and EUH-phrases indicated in this safety data sheet are as follows:

R8 Contact with combustible material may cause fire.

R22 Harmful if swallowed.

R20/21/22 Harmful by inhalation, in contact with skin and if swallowed.

R34 Causes burns.

R36 Irritating to eyes.

R36/38 Irritating to eyes and skin.

R37 Irritating to respiratory system.

R37/38 Irritating to respiratory system and skin.

R38 Irritating to skin.

R41 Risk of serious damage to eyes.

R42 May cause sensitisation by inhalation.

R50 Very toxic to aquatic organisms

Acute Tox. 4 (Oral): Acute toxicity (oral), Category 4

Eye Dam. 1: Serious eye damage/eye irritation, Category 1 Eye Irrit. 2: Serious eye damage/eye irritation, Category 2

Ox. Sol. 3: Oxidising Solids, Category 3
Skin Irrit. 2: Skin corrosion/irritation, Category 2

STOT SE 3: Specific target organ toxicity- single exposure, Category 3, Respiratory tract irritation

H272 May intensify fire; oxidiser
H302 Harmful if swallowed
H315 Causes skin irritation
H318 Causes serious eye damage
H319 Causes serious eye irritation

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled

H335 May cause respiratory irritation

The information given has been compiled with reference to the Chemicals (Hazard Information & Packaging For Supply) Regulations (CHIP4) 2009 as amended, the Registration, Evaluation, Authorisation & Restriction of Chemicals (REACH) Regulations, as amended, the Control of Substances Hazardous to Health Regulations (COSHH) 2002, as amended, and Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006. This information also harmonises the provisions and criteria for the classification and labelling of substances, mixtures and certain specific articles within the Community, taking into account the classification criteria and labelling rules of the GHS.

**Legal disclaimer:** The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.

Xeno Bright J1214 CLP MSDS Page 5 of 5